



TAMIL NADU GOVERNMENT GAZETTE

PUBLISHED BY AUTHORITY

No. 20]

CHENNAI, WEDNESDAY, MAY 27, 2009
Vaikasi 13, Thiruvalluvar Aandu-2040

Part VI—Section 1

Notifications of interest to the General Public
issued by Heads of Departments, Etc.

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

CONTENTS

	<i>Pages.</i>
GENERAL NOTIFICATIONS	
இந்திய புதைபொருள் சட்டம் - புதைபொருள் அறிவிப்பு	170
Tamil Nadu Co-operative Societies Act—Final Closing of affairs and cancellation of Registration of No. Ind. 1685. The Thousand Lights Police Women Cottage Industrial Co-operative Society Limited	171
Tamil Nadu Multistoried and Public Building Rules — Declaration of Multistoried Building Area for Construction of Residential Building at Komarapalayam Village, Coimbatore Taluk (South), Coimbatore Corporation, Coimbatore Local Planning Area	171-172
Tamil Nadu Town and Country Planning Act—Approved Vilar Detailed Development Plan No. 10 of Thanjavur Local Planning Authority	173
THE TAMIL NADU MEDICAL COUNCIL, CHENNAI	
Proceedings of the Tamil Nadu Medical Council	173

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

GENERAL NOTIFICATIONS

புதைபொருள் அறிவிப்பு

(இந்திய புதைபொருள் சட்டம் 1878-ன் பிரிவு 4-ன்படி அறிவிப்பு)

(ந.க. எண் 88381/06/ஆர்4.)

No. VI(1)/154/2009.

திண்டுக்கல் மாவட்டம், நிலக்கோட்டை வட்டம், பிள்ளையார்நத்தம் கிராமத்தில் புல எண் 691/1-ல் காலியிடத்தில் நாடக மேடை கட்டும் பணிக்காக 17-12-2006 அன்று பிற்பகல் சுமார் 3.30 மணியளவில் வாணம் தோண்டும்பொழுது கடப்பாரையின் முனைப்பகுதி பட்டு சேதமடைந்த நிலையில் சிறிய மண் கலயம் காணப்பட்டது. மேற்படி மண் கலயத்தில் கீழே கண்டுள்ள புதைபொருட்கள் கண்டெடுக்கப்பட்டுள்ளன:-

வ.எண்	புதைபொருள்	எண்ணிக்கை	எடை	அருங்காட்சியக காப்பாளரின் குறிப்பு.
(1)	(2)	(3)	(4)	(5)
1	சிறிய பொட்டு அளவிலான காசுகள்	726	257.25 கிராம்	தங்கம், வெள்ளி, செம்பு, துத்தநாக கலவை
2	பொட்டு (அனுமன் உருவம் பதித்தது) நாணயம்	1	3.400 கிராம்	தங்கத்தாலானது கிழக்கிந்திய கம்பெனியால் வெளியிடப்பட்டது.
3	(அ) தாலிக்கொடி 36.5 செ.மீ. நீளம்	1	10.300 கிராம்	தங்கத்தாலானது
	(ஆ) தாலிக்கொடி 40.0 செ.மீ. நீளம்	1	5.930 கிராம்	தங்கம் மற்றும் வெள்ளி, செம்புக் கலவை (10 முதல் 12 காரட்)
	(இ) தாலிக்கொடி 39.0 செ.மீ. நீளம்	1	3.370 கிராம்	தங்கம் மற்றும் வெள்ளி, செம்புக் கலவை (10 முதல் 12 காரட்)
4	குண்டலம் (காதுவாரி)	2 ஜோடி	6.600 கிராம்	தங்கத்தாலானது (10 முதல் 12 காரட்)
5	கொம்பு என்ற புல்லாக்கு	1	982 மில்லி கிராம்	தங்கத்தாலானது (10 முதல் 12 காரட்)
6	மெட்டி வளையம் (தடை மோதிரம்)	4	15.870 கிராம்	தங்கத்தாலானது (சுமார் 22 காரட்)
7	கருகுமணி (காதுவாரி)	7	4.750 கிராம்	தங்கத்தாலானது (10 முதல் 12 காரட்)
8	சங்குச்சக்கரம் (காதுவாரி)	6	10.030 கிராம்	தங்கத்தாலானது (10 முதல் 12 காரட்)

மேற்கண்ட புதைபொருள் தொடர்பாக புதையல்மீது முழுவதுமாகவோ அல்லது பகுதியாகவோ உரிமை கோரும் அனைவரும் திண்டுக்கல் மாவட்ட ஆட்சித்தலைவரின் நேர்முக உதவியாளர் (பொது) முன்பாக நேரிலோ அல்லது தன்னால் முறைப்படி நியமிக்கப்படுகின்ற பிரதிநிதி மூலமாகவோ ஆஜராகி உரிமை மேற்கொள்ள வாய்ப்பளிக்கப்படுகிறது. மேற்படி உரிமை கோரல் தொடர்பாக திண்டுக்கல் மாவட்ட ஆட்சித்தலைவரின் நேர்முக உதவியாளர் (பொது) முன்பாக 17-03-2009 அன்று நேரிலோ அல்லது தன்னால் நியமிக்கப்படுகின்ற பிரதிநிதி மூலமாகவோ தங்கள் உரிமை தொடர்பான ஆதாரங்களுடன் நேரில் விசாரணைக்கு ஆஜராகும்படி கேட்டுக்கொள்ளப்படுகிறது.

புதைபொருள் சட்டம் பிரிவு 9-ன்படி மேற்படி புதையல் தொடர்பாக உரிமை எவரும் கோரவில்லை என்றோ அல்லது கோரப்பட்ட உரிமை தக்க ஆதாரமின்மையால் நிராகரிக்கப்பட்டாலோ கண்டெடுக்கப்பட்ட புதைபொருள் உரிமையற்றது (Ownerless) என முடிவு செய்து ஆணையிடப்படும்.

திண்டுக்கல்,
2009 பிப்ரவரி 26.

இரா. கிர்லோஷ்குமார்,
மாவட்ட ஆட்சியர்.

Final Closing of affairs and cancellation of Registration of No. Ind. 1685. The Thousand Lights Police Women Cottage Industrial Co-operative Society Limited.

(No. L.F. 878/ICA/93.)

No. VI(1)/163/2009.

In the circumstances stated by the Deputy Director of Industries and Commerce (Industrial Co-operatives), Chennai-32 and Official Liquidator of the Thousand Lights Police Women Cottage Industrial Co-operative Society Limited, in her final closure proposals, dated 17th April 2009 and in exercise of the powers delegated under Section 140(1) of Tamil Nadu Co-operative Societies Act, 1983, the registration of the Thousand Lights Police Women Cottage Industrial Co-operative Society Limited, No. Ind. 1685. is hereby cancelled and the affairs are finally closed with effect from 30th April 2009.

Chennai-600 005,
30th April 2009.

G. SANTHANAM,
*Industries Commissioner and Director of
Industries and Commerce/Registrar of
Industrial Co-operatives.*

Declaration of Multistoried Building Area for Construction of Residential Building at Komarapalayam Village, Coimbatore Taluk (South), Coimbatore Corporation, Coimbatore Local Planning Area.

(Roc. No. 2511/2009/Special Cell.)

No.VI(1)/164/2009.

The land comprising in Survey Number 128/2A, Ward 7, Block 6, Komarapalayam Village, Coimbatore Taluk (South) Coimbatore Corporation, Coimbatore Local Planning Area having an extent of 2.60 Acres is declared as Multistoried Building area for construction of Residential Building as per Tamil Nadu Multistoried and Public Building Rules, 1973 and instructions thereof. In addition to that it is also requested to ensure the compliance of the following conditions at the time of clearing the building plans.

Conditions:

1. The Multistoried building for residential use should be constructed with the conditions that the building should satisfy the parameters of floor space index, plot coverage, etc. The applicant should obtain necessary clearance and No Objection Certificate (NOC) for the plans from the authorities viz., Commissioner of Town and Country Planning, Highways Department, Traffic Police Department, Fire Service Department, Chennai Regional Advisory Committee, Airport Authority, Micro Wave Authority, Tamil Nadu Pollution Control Board and the applicant should obtain EIA Clearance from the Ministry of Environment and Forest Department, Government of India as per Central Government's latest notification and submit it to the authority concerned.

2. Multistoreyed building should be earthquake resistive structure. The building shall be designed by the Registered Professional Structural Engineer who shall also sign in all the plans.

3. The Multistoreyed building should be designed based on NBC 2005 and an undertaking to this effect should be given by the developer to this office.

4. Ramp must be provided to lift room for the use of physically challenged persons.

5. Ramp ratio should be mentioned in the plan as 1:10.

6. Sufficient parking space should be provided near the entrance for physically challenged persons.

7. Suitable drainage facilities and sewage treatment plant should be provided within the complex.

8. Sufficient lifts must be provided as per Tamil Nadu Lift Act and Rules, 1997 and the building should satisfy all the Multistoreyed and Public Building Rules, 1973.

9. Fire extinguishers should be provided wherever necessary and also No Objection Certificate must be obtained from the Fire Service Authority.

10. Rainwater harvesting must be provided as per G.O. Ms. No. 138, Municipal Administration and Water Supply Department, dated 11th October 2002 and arrangements should follow the contour at the site. Detailed Map should be produced.

11. Suitable arrangement should be made for tapping solar energy in the buildings as per G.O. Ms. No. 112, Municipal Administration and Water Supply Department, dated 16th August 2002.

12. FSI and plot coverage should be adopted as per rules and regulations and instructions thereof applicable for multistoried building.

13. Height between each floor shall not be less than 3m.

14. Open stair-case for emergency escape should be provided in the building.

15. Expansion joints of 75 mm gap have to be provided in the building at 45 metres intervals.

16. No Objection Certificate from Highways and Rural Works Department about road widening, if any, should be provided.

17. Necessary lightning arresters should be provided.

18. The adequacy of STP has also to be certified by an authority for recycling of waste water.

19. The applicant should furnish the full detailed report about the water supply (both drinking and other purposes) and necessary undertakings to obtain water from the Government desalination plants to provide sufficient water supply to the consumers in the building without excessive extraction of more ground water in that area.

20. Affidavit regarding stability of the building which has to be duly signed by the Architect, owner and structural design engineer in a Rs.100/- stamp paper on the following norms :—

Structural designs are made after conducting due soil test of the site as per National Building Code, 2005 and amendments thereof so as to be safe against all natural calamities like earthquake, etc., and the structure will be safe in all respects and we all the held responsible for the structural safety/stability.

(1) Signature of the applicant/owner.

(2) Signature of the Architect with seal and registration number.

(3) Signature of the Structural Design Engineer with seal and registration number.

21. Applicant should submit a detailed report on the Rain Water Harvestings. Arrangements based on the contour of the site with sketches and contour map.

22. Culverts in T.S. No. 128/1 are to be constructed across the above channel by the applicant at his own expenses for which necessary NOC has to be obtained from the concerned department and produced while submitting building plans for approval.

Special Condition:

1. The 60' wide approach road portion of land should be handed over and developed to local body before getting building plan approval;

2. The portion of land for Detailed Development Plan roads should be handed over to local body through gift deed, before getting building plan approval.

Approved Vilar Detailed Development Plan No. 10 of Thanjavur Local Planning Authority

FORM No. 12

(Roc. No. 772-05 TLPA-02.)

(Under rule 17 of the preparation and sanction of Detailed Development Plan Rules.)

No. VI(1)/165/2009.

Under Section '29' of Tamil Nadu Town and Country Planning Act 1971, the Commissioner of Town and Country planning, Chennai has approved the Vilar Detailed Development plan No. 10 *vide* his proceeding Roc. No. 17566/06/DP3, dated 23rd February 2009 prepared for the planning area described below:—

SCHEDULE

North : Southern boundary of R.S. 841 and R.S. No. 206 of Vilar Village

East : Western boundary of R.S. 247 of Vilar Village

South : Northern boundary of R.S. No. 184, 185 and Kandithampattu Village

West : Eastern boundary of R.S. No. 783, 782 and 781 of Vilar Village

Comprising R.S. No. 841 (part) of Vilar Village.**Extent** : 30.00 Hectares (approximately)2. It shall come into operation from the date of Publication of the Notification in the *Tamil Nadu Government Gazette*.

3. A copy of the map of the area included in the plan will be kept for inspection and also available for sale, during office hours in the office of the Thanjavur local planning Authority, No. 7, South street, Ganapathy Nagar, Medical College Road, Thanjavur-07, for a period of three months at the following price. Rs. 1000/- (Rupees one thousand only.)

Thanjavur,
20th March 2009.

பொ. மோகன்சூமார்,
Member-Secretary (in-charge),
Thanjavur Local Planning Authority.

TAMIL NADU MEDICAL COUNCIL, CHENNAI

PROCEEDINGS OF THE TAMIL NADU MEDICAL COUNCIL

Special Business Meeting Held on 21st November 2008.*Sub:-* Temporary deletion from Medical Register—Regarding.*Ref:-* (1) Dr. B. Cheran's Representations, dated 3rd July 2008, 29th August 2008, 5th September 2008 and 30th September 2008.

(2) Minutes of the Special Business Meeting of the Tamil Nadu Medical Council on 21st November 2008.

(Ref. TNMC/G 77/2009.)

No. VI(1)/166/2009.

The Tamil Nadu Medical Council at its Special Business Meeting held on 21st November, 2008 unanimously resolved to remove the name of Dr. B. Cheran as prayed for in his representations, with the qualifications mentioned below from the Tamil Nadu Medical Register.

Dr. Cheran, Balasubramanian, Regn. No. 33957, dated 20th February 1981, son of C. Balasubramanian.

Qualifications: M.B.B.S. (Madras University) 1981.

D.C.H. (Madras University) 1983 and

M.S. (Ophthalmology), The Tamil Nadu Dr. M.G.R. Medical University, 2002.

Registered on 31st December 2002.

Chennai,
7th May 2009.

S. KANDASAMY,
Registrar,
Tamil Nadu Medical Council.