



TAMIL NADU GOVERNMENT GAZETTE

PUBLISHED BY AUTHORITY

No. 32]

CHENNAI, WEDNESDAY, AUGUST 12, 2015
Aadi 27, Manmadha, Thiruvalluvar Aandu – 2046

Part III—Section 2

Statutory Notifications and Orders issued by
Heads of Departments.

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

CONTENTS

Pages.

INDIAN RAILWAYS

Energisation of newly erected conventional overhead equipment on the proposed doubling between Tamaraipadi and Dindigul Stations, from OHE Mast location No. 423/26 (km/ch:423/770.30) to OHE Mast location No. 431/18 (km/ch:431/572.10) at 25 kV, 50 Hz. ac single phase system on Tiruchirappalli - Dindigul section in Madurai Division of Southern Railway.

76

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

INDIAN RAILWAYS

Energisation of newly erected conventional overhead equipment on the proposed doubling between Tamaraipadi and Dindigul Stations, from OHE Mast location No. 423/26 (km/ch:423/770.30) to OHE Mast location No. 431/18 (km/ch:431/572.10) at 25 kV, 50 Hz. ac single phase system on Tiruchirappalli - Dindigul section in Madurai Division of Southern Railway.

No. E.320/X/RVNL/CRS

(Pro forma 10-01)

“PUBLIC NOTIFICATION”

No. SRO C-20/2015.

Notice is hereby given to all users of Railway lines and premises situated on the completed section of the under-noted section of the Southern Railway that the 25000 Volt, 50 Hz, ac, single phase overhead traction wires will be energised on or after the date specified against the section. On and from the same date the overhead traction line shall be treated as “LIVE” at all times and no unauthorized person shall approach or work in the proximity of the said overhead line.

<i>Section</i>	<i>Date</i>
Energisation of conventional Overhead Equipment for the doubling between Tamaraipadi and Dindigul stations, from OHE Mast location No. 423/26 (km/ch:423/770.30) to OHE Mast location No. 431/18 (km/ch : 431/572.10) at 25 kV, 50 Hz, ac single phase system on Tiruchchirappalli - Dindigul section in Madurai Division of Southern Railway.	31-08-2015

Chennai-600 008,
5th August 2015.

M. PRABHAKARAN,
*Deputy Chief Electrical Engineer/OHE
For Chief Electrical Engineer,
Southern Railway/Construction,
Egmore, Chennai.*

No. E.320/X/RVNL/CRS

INTRODUCTION OF ac 25 kV TRACTION

(Pro forma 10-02)

“WARNING TO ROAD USERS”

No. SRO C-21/2015

It is notified for information of the public that in connection with introduction of 25 kV ac electric traction for the doubling between Tamaraipadi and Dindigul stations, from OHE Mast location No. 423/26 (km/ch:423/770.30) to OHE Mast location No. 431/18 (km/ch : 431/572.10) at 25 kV, 50 Hz, ac single phase system on Tiruchchirappalli - Dindigul section in Madurai Division of the Southern Railway, height gauges have been erected at all the level crossings with clear height of 4.67 m above road level with a view to prevent loads of excessive height from coming into contact or dangerous proximity to live traction wire.

Public are hereby notified to observe the height specified above for the purpose of loading vehicles and to see that the loads carried in road vehicles do not infringe the height gauges under any circumstances.

The dangers of a load of excessive height are as follows :-

- i.* Danger to the height gauge and consequent obstruction to the road as well as the railway line.
- ii.* Danger to the materials or equipment carried or for the vehicle itself.
- iii.* Danger of fire and risk of life due to contact with or dangerous proximity to the conductors.

Chennai-600 008,
5th August 2015.

M. PRABHAKARAN,
*Deputy Chief Electrical Engineer/OHE
For Chief Electrical Engineer,
Southern Railway/Construction,
Egmore, Chennai.*