



# TAMIL NADU GOVERNMENT GAZETTE

PUBLISHED BY AUTHORITY

No. 7]

CHENNAI, WEDNESDAY, FEBRUARY 17, 2016  
Maasi 5, Manmadha, Thiruvalluvar Aandu – 2047

## Part III—Section 2

Statutory Notifications and Orders issued by  
Heads of Departments.

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

### CONTENTS

	<i>Pages.</i>
JUDICIAL NOTIFICATIONS	
Draft Amendment to the Tamil Nadu Mediation Rules, 2010 .. ..	432
INDIAN RAILWAYS	
Energisation of conventional Overhead Equipment on the newly laid double line between Vriddhachalam and Ariyalur stations, from OHE Mast location No. 218/33 (km/ch: 218/807.85) to OHE Mast location No. 270/7 (km/ch: 270/140.80) at 25KV, 50 Hz, ac single phase system on Villupuram, Tiruchchirappalli section in Tiruchchirappalli division of Southern Railway, etc. .. ..	432-433
CHENNAI METRO RAIL LIMITED	
Underground Rigid OHE Energization of Chennai Metro Rail Lines ..	433
<b>சென்னை மாநகராட்சி</b>	
<b>(வருவாய் துறை)</b>	
மருத்துவ தளவாடப் பொருட்களை விற்பனை செய்வதற்கு தொழில் உரிம அட்டவணை-1 பட்டியலில் சேர்ப்பது பற்றிய அறிவிக்கை... ..	434

## NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

### JUDICIAL NOTIFICATIONS

#### Draft Amendment to the Tamil Nadu Mediation Rules, 2010

(Roc. No. 4711-A/2013/F1.)

No. SRO C-3/2016.

In exercise of the powers conferred by Section 122 of the Code of Civil Procedure, 1908 (Central Act V of 1908) and clause (d) of sub-section (2) of Section 89 of the said Code, the High Court of Madras hereby proposes the following amendment to the Tamil Nadu Mediation Rules, 2010, as amended by Amendment to the said Rules made *vide* High Court's Roc. No. 4711-A/2013/F1 and the same is hereby published as required by Section 122 of the Code for public information.

The existing sub-rule (1)(b) of Rule 5 of the Tamil Nadu Mediation Rules, 2010 shall be substituted as follows:—

“(b) Legal Practitioners with atleast 10 years' standing at the Bar at the level of the Supreme Court or the High Court or the District Court of equivalent status.”

It is further notified that any suggestion or objection to the abovesaid draft amendment may be forwarded to the undersigned within 30 days of the initial publication of this amendment.

High Court, Madras,  
3rd February 2016.

P. KALAIYARASAN,  
*Registrar-General.*

### INDIAN RAILWAYS

**Energisation of conventional Overhead Equipment on the newly laid double line between Vriddhachalam and Ariyalur stations, from OHE Mast location No. 218/33 (km/ch: 218/807.85) to OHE Mast location No. 270/7 (km/ch: 270/140.80) at 25KV, 50 Hz, ac single phase system on Villupuram, Tiruchchirappalli section in Tiruchchirappalli division of Southern Railway.**

(No. RVNL/MAS/Elec/X/1)

*Pro forma 10-01*

“PUBLIC NOTIFICATION”

No. SROC-4/2016.

Notice is hereby given to all users of Railway lines and premises situated on the completed Section of the under-noted Section of the Southern Railway that the 25000 Volt, 50 Hz, ac, single phase overhead traction wires will be energised on or after the date specified against the Section. On and from the same date the overhead traction line shall be treated as “LIVE” at all times and no unauthorised person shall approach or work in the proximity of the said overhead line.

<i>Section</i>	<i>Date</i>
Energisation of conventional Overhead Equipment on the newly laid double line between Vriddhachalam and Ariyalur stations, from OHE Mast location No. 218/33 (km/ch:218/807.85) to OHE Mast location No. 270/7 (km/ch:270/140.80) at 25 KV, 50 Hz, ac single phase system on Villupuram - Tiruchchirappalli Section in Tiruchchirappalli division of Southern Railway	31.1.2016

Chennai - 600 008,  
11th February 2016.

PRABAKARAN,  
*for Chief Electrical Engineer/Construction,  
Southern Railway, Chennai, Egmore.*

(No. RVNL/MAS/Elec./X/1)

## INTRODUCTION OF ac 25 KV TRACTION

*(Pro forma 10-02)*

"WARNING TO ROAD USERS"

**No. SRO C-5/2016.**

It is notified for information of the public that in connection with introduction of 25 KV ac electric traction over the newly laid double line track between Vriddhachalam and Ariyalur stations, from OHE Mast location No. 218/33 (*km/ch:218/807.85*) to OHE Mast location No. 270/7 (*km/ch:270/140.80*) on Villupuram-Tiruchchirappalli section in Tiruchchirappalli division of Southern Railway, height gauges have been erected at all the level crossings with clear height of 4.67 m above road level with a view to prevent loads of excessive height from coming into contact or dangerous proximity to live traction wires.

Public are hereby notified to observe the height specified above for the purpose of loading vehicles and to see that the loads carried in road vehicles do not infringe the height gauges under any circumstances.

The dangers of a load of excessive height are as follows:-

- (i) Danger to the height gauge and consequent obstruction to the road as well as the railway line.
- (ii) Danger to the materials or equipment carried or for the vehicle itself.
- (iii) Danger of fire and risk of life due to contact with or dangerous proximity to the conductors.

No. E.320/X/RVNL/CRS

Chennai - 600 008,  
11th February 2016.

PRABAKARAN,  
*for Chief Electrical Engineer/Construction,  
Southern Railway, Chennai, Egmore.*

**CHENNAI METRO RAIL LIMITED****Underground Rigid OHE Energization of Chennai Metro Rail Lines****"PUBLIC NOTIFICATION"***Proforma 10-1**(CMRL/SYS/PS&OHE/000018/2016)***No. SRO C-6/2016.**

Notice is hereby given to all users of Metro lines and premises situated on the completed underground Section of the under noted Section of **CMRL** that the Rigid overhead traction wires will be energized with 25000V 50HZ AC single phase supply on or after the date specified against the Section. On and from the same date the overhead traction line shall be treated as live at all times and no unauthorised person shall approach or work in the proximity of the said overhead line.

<i>S.No.</i> (1)	<i>Section</i> (2)	<i>Date</i> (3)
1	Down Line between Koyambedu Station and Chennai Central Metro Station on corridor 2 from Location 09/42 (Chain age 09.9485) to 00/004 (Chain age -0.1529)	01-02-16
2	Up Line Between Koyambedu Station and Chennai Central Metro Station on corridor 2 from Location 09/41 (Chain age 09.9485) and 00/03A (Chain age -0.1529)	01-02-16

Chennai,  
11th February 2016.

S. RAMASUBBU,  
*Chief General Manager (Electrical)  
For Chennai Metro Rail Ltd.*

## சென்னை மாநகராட்சி

## வருவாய் துறை

மருத்துவ தளவாடப் பொருட்களை விற்பனை செய்வதற்கு தொழில் உரிம அட்டவணை-1 பட்டியலில் சேர்ப்பது பற்றிய அறிவிக்கை.

(பார்வை-சென்னை மாநகர முனிசிபல் சட்டம் 1919, விதி 373)

(வ.து.ந.க.எண்.தொ.உ/603/2015)

No. SRO C-7 /2016.

சென்னை மாநகராட்சி முனிசிபல் சட்டம், 1919, விதி 287-ல் அபாயம் மற்றும் ஆபத்தினை விளைவிக்கும் தொழில்களுக்கு தொழில் உரிமம் வழங்க வரையறுக்கப்பட்டு, ஒவ்வொரு தொழிலினையும் வகைப்படுத்தி 6 வகையாக அட்டவணையிடப்பட்டுள்ளது. அவ்வாறு மருத்துவ தளவாடப் பொருட்களை விற்பனை செய்வதற்கு (Selling of Surgical Equipments) அட்டவணையில் குறிப்பிடவில்லை.

தற்போது ஏற்பட்டுள்ள நவீன சிகிச்சை மருத்துவத்தின் முக்கியத்துவத்தை கருத்தில் கொண்டும், நோயாளிகளின் அத்தியாவசிய தேவையாக மருத்துவ தளவாடப் பொருட்கள் அமைந்துள்ளதாலும், மருத்துவ தளவாடப் பொருட்களை விற்பனை செய்வதற்கு (Selling of Surgical Equipments) அட்டவணை-1-லுள்ள பட்டியலில் வரிசை எண் 82-ன் கீழ் அறுவை மருத்துவ தளவாடப் பொருட்களை விற்பனை (சில்லறை மற்றும் மொத்த வணிகம்) (Selling of Surgical Equipments Wholesale and Retail) ஒரு இனமாக பட்டியலில் சேர்த்து தொழில் உரிமம் வழங்க சென்னை மாநகராட்சி மன்றத் தீர்மான எண் 555/2015, நாள் 30-09-2015-ல் தீர்மானித்துள்ளது.

எனவே, சென்னை மாநகராட்சி முனிசிபல் சட்டம் 1919, விதி 287-ன் கீழ் மருத்துவ தளவாடப் பொருட்களை விற்பனை செய்வதற்கு (Selling of Surgical Equipments) அட்டவணை-1 லுள்ள பட்டியலில் வரிசை எண் 83-ல் சேர்த்து, மற்ற தொழிலுக்கு உள்ளது போல உரிமக் கட்டணம் 500 சதுர அடி வரை ரூ.500/- 501 முதல் 1000 சதுர அடி வரை ரூ. 750 மற்றும் 1000 சதுர அடிக்கு மேல் ரூ. 5,000 என நிர்ணயம் செய்து, (இதர கட்டணம் ஏதேனும் இருப்பின் அதற்கு உட்பட்டது), நவம்பர் 15-ம் தேதி முதல் மேற்படி தொழிலுக்கு உரிமம் வழங்க முடிவெடுக்கப்பட்டுள்ளதால் சென்னை மாநகராட்சி முனிசிபல் சட்டம் 1919, விதி 98A (1) (2)-ல் வரையறுக்கப்பட்டுள்ளவாறு இவ்வறிவிக்கை வெளியிடப்படுகிறது.

சென்னை-600 003,  
2016 பிப்ரவரி 12.

விக்ரம் கபூர்,  
முதன்மை செயலர்/ஆணையர்,  
சென்னை மாநகராட்சி.

## CORPORATION OF CHENNAI

## REVENUE DEPARTMENT

## NOTIFICATION

(u/s 373 of the C.C.M.C. Act 1919)

(R.D.C.No. TL/603/2015)

Considering the representation of the Madras Pharmaceutical Wholesaler Association, Chennai-3 towards their participation in health services and the growth in modernized surgical equipments, it was felt to cover the trade of Selling of Surgical Equipments in the licencing schedule of the Chennai Corporation u/s 287 of the Chennai City Municipal Corporation Act, 1919.

Accordingly, the Chennai Corporation Council in Resolution No.555/2015, dated.30.09.2015 has resolved to include it in its licencing schedule and levy licence fee for the trade of Selling of Surgical Equipment from wholesale and retail vendors.

Henceforth, the trade Selling of Surgical Equipments wholesale and retail is included in the licencing Schedule - I, Sl.No.83 with the existing annual fee structure as for other trades i.e. (a) Rs.500/- for 500 sq.ft., (b) Rs.750/- for 501 to 1000 sq.ft., (c) Rs.5000/- for above 1000 sq.ft. and the issue of trade licence will commence with effect from 15-11-2015 (other fee / charges wherever applicable).

The above notice issued u/s 98A(1)(2) of the Chennai City Municipal Corporation Act, 1919.

Chennai-600 003,  
12th February 2016.

விக்ரம் கபூர்,  
முதன்மை செயலர்/ஆணையர்,  
சென்னை மாநகராட்சி.